









1. How often do you come to our School or Board Office?

		Response Percent	Response Count
Yearly		20.6%	7
Monthly		14.7%	5
Weekly		29.4%	10
Daily		35.3%	12
		answered question	34
		skipped question	1

2. Which category best describes your role?

		Response Percent	Response Count
Student		0.0%	0
Parent		11.4%	4
Staff		57.1%	20
Community Group Using the School		34.3%	12
Community Partner		2.9%	1
		Other (please specify)	2
		answered question	35
		skipped question	0

3. Do you find the exterior of our buildings accessible?

Yes/No

	Yes	No
Sidewalks leading to the entrances	97.1% (33)	2.9% (1)
Curbs	97.0% (32)	3.0% (1)
Parking Spaces	87.9% (29)	12.1% (4)
Passenger loading/unloading zones	93.9% (31)	6.1% (2)
Exterior ramps and stairs	96.9% (31)	3.1% (1)
Handrails	96.6% (28)	3.4% (1)
Exterior signage	83.9% (26)	16.1% (5)
Exterior lighting	97.0% (32)	3.0% (1)
Entrances barrier free	87.5% (28)	12.5% (4)

School

	Mary Immaculate School Chepstow	St. Peter & St. Paul's School Durham	Immaculate Conception School Formosa	Holy Family School Hanover	St. Anthony's School Kincardine	Sacred Heart School Mildmay	Notre Dame Catholic School Owen Sound	St. Basil's School Owen Sound	St. Joseph's School Port Elgin	Sacred Heart School Teeswater	Mother Teresa School Walkerton
Sidewalks leading to the entrances	0.0% (0)	0.0% (0)	10.0% (1)	10.0% (1)	10.0% (1)	10.0% (1)	10.0% (1)	0.0% (0)	0.0% (0)	10.0% (1)	0.0% (0)
Curbs	0.0% (0)	0.0% (0)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	0.0% (0)	0.0% (0)	12.5% (1)	0.0% (0)

Parking Spaces	0.0% (0)	0.0% (0)	11.1% (1)	11.1% (1)	11.1% (1)	11.1% (1)	11.1% (1)	11.1% (1)	0.0% (0)	11.1% (1)	0.0% (0)	
Passenger loading/unloading zones	0.0% (0)	0.0% (0)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	0.0% (0)	0.0% (0)	12.5% (1)	0.0% (0)
Exterior ramps and stairs	0.0% (0)	0.0% (0)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	0.0% (0)	0.0% (0)	12.5% (1)	0.0% (0)
Handrails	0.0% (0)	0.0% (0)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	0.0% (0)	0.0% (0)	12.5% (1)	0.0% (0)
Exterior signage	0.0% (0)	0.0% (0)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	0.0% (0)	0.0% (0)	12.5% (1)	0.0% (0)
Exterior lighting	0.0% (0)	0.0% (0)	11.1% (1)	11.1% (1)	11.1% (1)	11.1% (1)	11.1% (1)	11.1% (1)	0.0% (0)	0.0% (0)	11.1% (1)	0.0% (0)
Entrances barrier free	0.0% (0)	0.0% (0)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	12.5% (1)	0.0% (0)	0.0% (0)	12.5% (1)	0.0% (0)



4. Do you find the interior of our buildings accessible?

Yes/No

	Yes	No
Stairs	96.2% (25)	3.8% (1)
Handrails	100.0% (26)	0.0% (0)
Interior ramps	100.0% (24)	0.0% (0)
Elevators and lifts	81.8% (18)	18.2% (4)
Washroom stalls	87.1% (27)	12.9% (4)
Washroom sincks	93.5% (29)	6.5% (2)
Drinking founatins	96.4% (27)	3.6% (1)
Floor finishes	93.1% (27)	6.9% (2)
Equipment and Furniture	90.0% (27)	10.0% (3)
Lighting	100.0% (29)	0.0% (0)
Alarm Systems	92.6% (25)	7.4% (2)
Signage	88.9% (24)	11.1% (3)

School

	Mary Immaculate School	St. Peter & St. Paul's School	Immaculate Conception School	Holy Family School	St. Anthony's School	Sacred Heart School	Notre Dame Catholic School	St. Basil's School Owen	St. Joseph's School Port	Sacred Heart School	Mother Teresa School

	Chepstow	Durham	Formosa	Hanover	Kincardine	Mildmay	Owen Sound	Sound	Elgin	Teeswater	Walkerton
Stairs	0.0% (0)	0.0% (0)	14.3% (1)	14.3% (1)	14.3% (1)	14.3% (1)	0.0% (0)	0.0% (0)	0.0% (0)	14.3% (1)	0.0% (0)
Handrails	0.0% (0)	0.0% (0)	20.0% (1)	20.0% (1)	20.0% (1)	20.0% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Interior ramps	0.0% (0)	0.0% (0)	20.0% (1)	20.0% (1)	20.0% (1)	20.0% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Elevators and lifts	0.0% (0)	0.0% (0)	16.7% (1)	16.7% (1)	16.7% (1)	16.7% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Washroom stalls	0.0% (0)	0.0% (0)	14.3% (1)	14.3% (1)	14.3% (1)	14.3% (1)	0.0% (0)	0.0% (0)	14.3% (1)	0.0% (0)	0.0% (0)
Washroom sincks	0.0% (0)	0.0% (0)	16.7% (1)	16.7% (1)	16.7% (1)	16.7% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Drinking founatins	0.0% (0)	0.0% (0)	20.0% (1)	20.0% (1)	20.0% (1)	20.0% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Floor finishes	0.0% (0)	0.0% (0)	14.3% (1)	14.3% (1)	14.3% (1)	14.3% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Equipment and Furniture	0.0% (0)	0.0% (0)	20.0% (1)	20.0% (1)	20.0% (1)	20.0% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Lighting	0.0% (0)	0.0% (0)	20.0% (1)	20.0% (1)	20.0% (1)	20.0% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Alarm Systems	0.0% (0)	0.0% (0)	16.7% (1)	16.7% (1)	16.7% (1)	16.7% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Signage	0.0% (0)	0.0% (0)	16.7% (1)	16.7% (1)	16.7% (1)	16.7% (1)	0.0% (0)	16.7% (1)	0.0% (0)	0.0% (0)	0.0% (0)

5. Do you find our communications accessible?

Yes/No

	Yes	No
Print Size and format	96.9% (31)	3.1% (1)
Clear, understandable language	100.0% (30)	0.0% (0)
Telephone answering	100.0% (29)	0.0% (0)
Website	96.3% (26)	3.7% (1)

School

	Mary Immaculate School Chepstow	St. Peter & St. Paul's School Durham	Immaculate Conception School Formosa	Holy Family School Hanover	St. Anthony's School Kincardine	Sacred Heart School Mildmay	Notre Dame Catholic School Owen Sound	St. Basil's School Owen Sound	St. Joseph's School Port Elgin	Sacred Heart School Teeswater	Mother Teresa School Walkerton
Print Size and format	0.0% (0)	0.0% (0)	0.0% (0)	20.0% (1)	0.0% (0)	20.0% (1)	0.0% (0)	0.0% (0)	0.0% (0)	20.0% (1)	0.0% (0)
Clear, understandable language	0.0% (0)	0.0% (0)	0.0% (0)	25.0% (1)	0.0% (0)	25.0% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Telephone answering	0.0% (0)	0.0% (0)	0.0% (0)	25.0% (1)	0.0% (0)	25.0% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)
Website	0.0% (0)	0.0% (0)	0.0% (0)	25.0% (1)	0.0% (0)	25.0% (1)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)

6. Do you have any further comments on our accessibility?

	Response Count
	5
answered question	5
skipped question	30

Page 2, Q2. Which category best describes your role?

1	Port Elgin Sparks	Oct 17, 2011 5:46 PM
2	community volunteer	Oct 17, 2011 5:42 PM

Page 2, Q3. Do you find the exterior of our buildings accessible?

1	sometimes find it a bit dark at the corner wher the portable is	Oct 17, 2011 3:56 PM
2	no problem with facility/building	Oct 17, 2011 3:51 PM
3	There are no ramps, stairs or handrails	Oct 17, 2011 3:47 PM
4	The things I checked yes for mostly don't apply to me and I don't know the answer to all of them. The one thing I find difficult is getting the doors open at my son's school. They do have the door openers and I can reach it, but it is never turned on. Hasn't been an issue for me because I have always been able to either open it on my own or there happens to be someone going in who holds it open. It would be nice to be able to push the button if/when I do need it.	Sep 9, 2011 11:16 AM
5	Large enclosure at the front door, difficult to maneuver through door ways with stroller, walker, wheelchair, also inside door is not self opening.	Jun 22, 2011 9:36 AM
6	Steps at back entrance which is now our main entrance.	May 18, 2011 5:04 PM
7	Our sige are all faded and you can't read them (parking and fire routes) they are also bent over from snow bring pushed onto them.	May 18, 2011 12:25 PM
8	I believe we can always strive to make our building more accessible. At Sacred Heart there are several barriers.	May 17, 2011 6:58 PM
9	Need to make the main entrance more pronounced.	May 17, 2011 11:54 AM

Page 2, Q4. Do you find the interior of our buildings accessible?

1	sometimes washrooms were locked when we had facility booked	Oct 17, 2011 3:54 PM
2	no problem with facility (gym)	Oct 17, 2011 3:51 PM
3	The school we use has not stairs, handrails, interior ramps or elevator.	Oct 17, 2011 3:47 PM
4	Usage of tables need to be closer to get them. We had to carry them from the cafe to gym. Or have them in the gym for us ahead of time.	Oct 17, 2011 3:40 PM
5	These thing do not really apply to me so I can't answer them properly.	Sep 9, 2011 11:16 AM
6	There is a lot of equipment and furniture in the classrooms and halls that can pose a barrier to those who have difficulty with vision or depth perception, also navigating around the furniture with mobility aides. There is excessive amounts of signage in the school. A great deal of stimuli to children with learning difficulties.	Jun 22, 2011 9:36 AM
7	St. Joseph's staff washrooms are both very small. A wheelchair would not fit inside.	May 19, 2011 10:36 AM
8	The strips often fall off of the steps and the lower wall of the school.	May 18, 2011 5:04 PM
9	we have no elevators or stairs	May 18, 2011 11:38 AM
10	Floors are slippery when shoes are wet or if you wear dress shoes with heels.	May 17, 2011 12:01 PM
11	Not handicap/wheel chair accessible for staff areas.	May 17, 2011 11:54 AM

Page 2, Q5. Do you find our communications accessible?

1	we find the staff very helpful. rooms adequate for our use.	Oct 17, 2011 4:59 PM
2	Have not used the website.	Oct 17, 2011 3:47 PM
3	We seem to rely on print for communication. Sharing of information could be increased with audio.	May 17, 2011 12:34 PM

Page 2, Q6. Do you have any further comments on our accessibility?

1	all good :)	Oct 17, 2011 3:49 PM
2	I do think for parents that work and often do not have the ability to visit or contact the school during their hours, that it would be helpful if the teachers were accessible by email to the parents. The principal's email is well advertised but not the teachers in which the parent might need to be dealing with directly.	Jun 22, 2011 9:36 AM
3	As the staff person for a community user group that manages all the permits, I'm afraid I cannot comment on the physical properties of the schools. However I have asked the leaders to also complete the survey. I would also like to thank you for implementing the on-line permitting system, it makes things so much simpler.	May 26, 2011 2:29 PM
4	We had a child in a wheel chair due to a broken leg. He was able to get every where and managed really well in our school	May 18, 2011 12:25 PM
5	Survey completed for Sacred Heart School Teeswater - unable to indicate in side bar only CEC comes up.	May 17, 2011 11:54 AM